

according to Regulation (EC) No. 1907/2006 (REACH)

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

Revision: 2023-11-13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier Trado namo	PROMAT CHEMICALS SPRÜHKLEBER - 400 ml
Unique formula identifier (UFI)	TC30-W0R2-S003-M8G0
Article number	4000 353430
Relevant identified uses of the sul	bstance or mixture and uses advised against
Relevant identified uses	General use Adhesive
Details of the supplier of the safet	zy data sheet
NORDWEST Handel AG Robert-Schuman-Straße 17 44263 Dortmund Germany	
Telephone: +49 (0)231 2222-3001 Telefax: +49 (0)231 2222-3099 e-mail: sdb@nordwest.com Website: www.nordwest.com	
e-mail (competent person)	sdb@nordwest.com
Emergency telephone number	
	Trade name Unique formula identifier (UFI) Article number Relevant identified uses of the sul Relevant identified uses Details of the supplier of the safet NORDWEST Handel AG Robert-Schuman-Straße 17 44263 Dortmund Germany Telephone: +49 (0)231 2222-3001 Telefax: +49 (0)231 2222-3099 e-mail: sdb@nordwest.com Website: www.nordwest.com

Poison centre			
Country	Name	Postal code/city	Telephone
Austria	Vergiftungsinformationszentrale (VIZ)		+43 (0)1 406 43 43
Germany	Gemeinsamen Giftinformationszentrum (GGIZ) der Laender Mecklenburg-Vorpommern, Sach- sen, Sachsen-Anhalt und Thueringen c/o HE- LIOS Klinikum Erfurt	99089 Erfurt	+49-361-730730
Switzerland	Tox Info Suisse		+145, 24h oder +41 44 251 51 51

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.3	aerosols	1	Aerosol 1	H222,H229
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8D	specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

> Labelling according to Regulation (EC) No 1272/2008 (CLP) Signal word danger Pictograms

GHS02, GHS07

Hazard statements H222 H229

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6) Revision: 2023-11-13

Precautionary stateme	nts
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P271	Use only outdoors or in a well-ventilated area.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous ingredients	for labelling acetone, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane, Hydrocarbons, C6, isoalkanes, <5% n-hexane
	isouranes, cyclics, som intexanc, nydrocarbons, co, isouranes, som intexanc

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\ge 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Identifier	Name of substance	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Lim- its
CAS No 115-10-6 EC No 204-065-8 Index No 603-019-00-8	Dimethyl ether	50 - < 75	Flam. Gas 1A / H220 Press. Gas C / H280		GHS-HC IOELV U(b)	
REACH Reg. No 01-2119472128- 37-xxxx						
CAS No 67-64-1 EC No 200-662-2 Index No 606-001-00-8 REACH Reg. No 01-2119471330- 49	acetone	5-<10	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336		GHS-HC IOELV	
EC No 926-605-8 REACH Reg. No 01-2119486291- 36-xxxx	Hydrocarbons, C6- C7, isoalkanes, cyc- lics, <5% n-hexane	1-<5	Flam. Liq. 2 / H225 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411			
EC No 927-510-4 REACH Reg. No 01-2119475515- 33-xxxx	Hydrocarbons, C7, n- alkanes, isoalkanes, cyclics	1-<5	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	() () () () () () () () () () () () () (
CAS No 64742-49-0 EC No 265-151-9 Index No 649-328-00-1	Naphtha (petroleum), hydro- treated light	1-<5	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411		P(b)	



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

Identifier	Name of substance	Wt%	Classification acc. to GHS	Pictograms	Notes	Specific Conc. Lim- its
CAS No 64742-49-0 EC No 931-254-9 Index No 649-328-00-1 REACH Reg. No 01-2119484651- 34	Hydrocarbons, C6, isoalkanes, <5% n- hexane	1-<5	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411		P(b)	
CAS No 110-54-3 EC No 203-777-6 Index No 601-037-00-0 REACH Reg. No 01-2119480412- 44-xxxx	n-hexane	<1	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 Repr. 2 / H361f STOT SE 3 / H336 STOT RE 2 / H373 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411		GHS-HC IOELV	STOT RE 2; H373: C ≥ 5 %
CAS No 1314-13-2 EC No 215-222-5 Index No 030-013-00-7 REACH Reg. No 01-2119463881- 32-xxxx	Zinc oxide	<1	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC	
CAS No 110-82-7 EC No 203-806-2 Index No 601-017-00-1 REACH Reg. No 01-2119463273- 41-xxxx	cyclohexane	<1	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC IOELV	

Notes

GHS-HC: IOELV:

Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) Substance with a community indicative occupational exposure limit value The classification as a carcinogen or mutagen is not required. The substance contains less than 0,1 % w/w benzene (EINECS No 200-753-7). When the substance is not classified as a carcinogen at least the precautionary statements (P102-)P260-P262- P301 + P310-P331 shall apply The allocation to the group 'compressed gas' is based on the physical state in which the gas is packaged P(b):

U(b):

Hazardous ingredients, Specific Conc. Limits, M-factors, ATE					
Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route	
n-hexane	STOT RE 2; H373: C ≥ 5 %	-	-		

For full text of abbreviations: see SECTION 16.



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

Indication of any immediate medical attention and special treatment needed

none

4.3

6.2

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities Managing of associated risks

Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Packaging compatibilities

Keep only in original container.

Storage class (LGK) TRGS 510

LGK 2 B (aerosol dispensers and lighters)

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

Occup	Occupational exposure limit values (Workplace Exposure Limits)										
Coun- try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceiling- C [ppm]	Ceiling- C [mg/ m³]	Nota- tion	Source
DE	hexane (n-hexane)	110-54-3	MAK	50	180	400	1,440				DFG
DE	n-hexane	110-54-3	AGW	50	180	400	1,440			Y	TRGS 900
DE	cyclohexane	110-82-7	AGW	200	700	800	2,800				TRGS 900
DE	cyclohexane	110-82-7	MAK	200	700	800	2,800				DFG
DE	dimethyl ether	115-10-6	AGW	1,000	1,900	8,000	15,200				TRGS 900
DE	zinc, inorganic compounds	1314-13-2	MAK		2		4			i	DFG
DE	zinc, inorganic compounds	1314-13-2	MAK		0.1		0.4			r	DFG
DE	acetone	67-64-1	AGW	500	1,200	1,000	2,400			Y	TRGS 900
EU	n-hexane	110-54-3	IOELV	20	72						2006/ 15/EC
EU	cyclohexane	110-82-7	IOELV	200	700						2006/ 15/EC
EU	dimethyl ether	115-10-6	IOELV	1,000	1,920						2000/ 39/EC
EU	acetone	67-64-1	IOELV	500	1,210						2000/ 39/EC

Notation

ceiling value is a limit value above which exposure should not occur inhalable fraction Ceiling-C

respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA hours time-weighted average (unless otherwise specified) a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the bio-

Υ logical limit value (BGW) are adhered to



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

Country	Name of a	gent	Parame	Parameter		Identifier	Value	Source	
DE	n-hexane		2,5-hexa hydroxy-	2,5-hexanedione, 4,5-di- hydroxy-2-hexanone		BAT	5 mg/l	DFG	
DE	n-hexane		2,5-hexa hydroxy-	nedione, 4,5-di- -2-hexanone	hydr	BLV	5 mg/l	TRGS 903	
DE	cyclohexan	e	1,2-cyclo	hexanediol	hydr, crea	BAT	150 mg/g	DFG	
DE	cyclohexan	e	1,2-cyclo	hexanediol	hydr, crea	BLV	150 mg/g	TRGS 903	
DE	Aceton		Aceton			BAT	50 mg/l	DFG	
DE	Aceton		Aceton			BAT (BAR)	2.5 mg/l	DFG	
DE	acetone		acetone			BLV	80 mg/l	TRGS 903	
rea nydr Relevant	creatining hydrolysi DNELs of c								
Name of su	ubstance	CAS No	Endpoint	Threshold level	Protection goal route of exposu			Exposure time	
acetone		67-64-1	DNEL	2,420 mg/m ³	human, inhalato	ry worker (inc	lustry)	acute - local effects	
acetone		67-64-1	DNEL	186 mg/kg	human, dermal	worker (inc	lustry)	chronic - systemic e fects	
acetone		67-64-1	DNEL	1,210 mg/m ³	human, inhalato	ry worker (inc	lustry)	chronic - systemic fects	
Hydrocarbo alkanes, iso cyclics			DNEL	300 mg/kg	human, dermal	worker (industry)		chronic - systemic e fects	
Hydrocarbo alkanes, iso cyclics			DNEL	2,085 mg/m ³	human, inhalato	an, inhalatory worker (industry		chronic - systemic e fects	
Hydrocarbo isoalkanes, <5% n-hexa	cyclics,		DNEL	5,306 mg/m ³	human, inhalato	ry worker (industry)		chronic - systemic fects	
Hydrocarbo isoalkanes, <5% n-hexa	cyclics,		DNEL	13,964 mg/ kg bw/day	human, dermal	worker (inc	worker (industry) c		
Naphtha (p hydrotreate		64742-49-0	DNEL	5,306 mg/m ³	human, inhalato	ry worker (inc	lustry)	chronic - systemic fects	
Naphtha (p hydrotreate	etroleum), ed light	64742-49-0	DNEL	13,964 mg/ kg bw/day	human, dermal	worker (industry)		chronic - systemic fects	
Hydrocarbo isoalkanes, ane	ons, C6, <5% n-hex-	64742-49-0	DNEL	13,964 mg/ kg	human, dermal	worker (inc	lustry)	chronic - systemic fects	
Hydrocarbo isoalkanes, ane	ons, C6, <5% n-hex-	64742-49-0	DNEL	5,306 mg/m ³	human, inhalato	inhalatory worker (industr		chronic - systemic fects	
n-hexane		110-54-3	DNEL	75 mg/m³	human, inhalato	ry worker (inc	lustry)	chronic - systemic fects	
n-hexane		110-54-3	DNEL	11 mg/kg bw/day	human, dermal	worker (inc	lustry)	chronic - systemic fects	
cyclohexan	e	110-82-7	DNEL	700 mg/m³	human, inhalato	ry worker (inc	lustry)	chronic - systemic fects	
cyclohexan	e	110-82-7	DNEL	700 mg/m ³	human, inhalato	ry worker (inc	lustry)	acute - systemic ef fects	
cyclohexan	•	110-82-7	DNEL	700 mg/m ³	human, inhalato	ry worker (inc	lustry)	chronic - local effe	



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

> **Relevant DNELs of components** Threshold level Name of substance CAS No Endpoint Used in Exposure time Protection goal, route of exposure cyclohexane 110-82-7 DNFI 2,016 mg/kg bw/day human, dermal worker (industry) chronic - systemic effects **Relevant PNECs of components** Threshold level Environmental com-partment Name of substance CAS No Endpoint Organism **Exposure time** Dimethyl ether 115-10-6 PNEC 0.155 mg/I aquatic organisms freshwater short-term (single instance) Dimethyl ether 115-10-6 PNEC 1.549 ^{mg}/_l aquatic organisms water intermittent release sewage treatment plant (STP) Dimethyl ether 160 ^{mg}/_l 115-10-6 PNEC aquatic organisms short-term (sinale instance) short-term (single in-stance) 0.681 mg/kg Dimethyl ether 115-10-6 PNEC aquatic organisms freshwater sediment 0.069 mg/kg Dimethyl ether 115-10-6 PNEC aquatic organisms marine sediment short-term (single in-stance) Dimethyl ether 115-10-6 PNEC 0.045 mg/kg terrestrial organshort-term (single insoil isms stance) PNEC 0.016 ^{mg}/_l Dimethyl ether 115-10-6 aquatic organisms short-term (single inmarine water stance) 10.6 ^{mg}/_l short-term (single in-67-64-1 PNEC freshwater acetone aquatic organisms stance) 1.06 ^{mg}/ı short-term (single in-stance) PNEC 67-64-1 acetone aquatic organisms marine water 67-64-1 100 ^{mg}/_l short-term (single in-PNEC sewage treatment plant (STP) acetone aquatic organisms stance) 30.4 ^{mg}/_{kg} acetone 67-64-1 PNEC aquatic organisms freshwater sediment short-term (single instance) 3.04 ^{mg}/_{kg} 67-64-1 PNEC aquatic organisms marine sediment short-term (single inacetone stance) 29.5 ^{mg}/_{kg} PNEC 67-64-1 terrestrial organ-isms short-term (single in-stance) acetone soil PNFC 21 ^{mg}/_l 67-64-1 acetone aquatic organisms water intermittent release 20.6 ^{µg}/_l Zinc oxide 1314-13-2 PNFC aquatic organisms freshwater short-term (single in-stance) Zinc oxide 1314-13-2 PNEC 6.1 ^{µg}/_l aquatic organisms marine water short-term (single instance) sewage treatment plant (STP) 100 ^{µg}/ı Zinc oxide 1314-13-2 PNEC short-term (single inaquatic organisms stance) 117.8 ^{mg}/_{kg} Zinc oxide 1314-13-2 PNEC short-term (single inaquatic organisms freshwater sediment stance) 35.6 mg/kg Zinc oxide 1314-13-2 PNEC terrestrial organ-isms short-term (single insoil stance) 56.5 ^{mg}/_{kg} PNEC Zinc oxide 1314-13-2 aquatic organisms marine sediment short-term (single instance) 0.207 ^{mg}/_l cyclohexane 110-82-7 PNEC aquatic organisms freshwater short-term (single instance) 110-82-7 PNEC 0.207 ^{mg}/_l cyclohexane aquatic organisms marine water short-term (single instance) sewage treatment plant (STP) short-term (single incyclohexane 110-82-7 PNEC 3.24 ^{mg}/_l aquatic organisms stance) 3.627 ^{mg}/_{kg} 110-82-7 PNEC short-term (single in-stance) cyclohexane aquatic organisms freshwater sediment



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

Revision: 2023-11-13

Relevant PNECs of components							
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental com- partment	Exposure time	
cyclohexane	110-82-7	PNEC	3.627 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)	
cyclohexane	110-82-7	PNEC	2.99 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)	

8.2 **Exposure controls**

Г

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)



Personal protective equipment shall be used when the risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Eye/face protection

Use protective eyewear to guard against splash of liquids.

Skin protection

Hand protection

Wear protective gloves. (Splash protection)

Type of material

NR: natural rubber, latex, FKM: fluoro-elastomer

Breakthrough times of the glove material

>480 minutes (permeation: level 6)

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Full face mask/half mask/quarter mask (EN 136/140). Type: AX-P2 (gas filters and combined filters against low-boiling point organic compounds and particles, colour code: Brown/ White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1

Information on basic physical and cl	hemical properties
Physical state	aerosol (spray aerosol)
Colour	light beige
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	-24.9 °C at 1,013 hPa
Flammability	flammable aerosol in accordance with GHS criteria
Lower and upper explosion limit	0.6 vol% - 26.2 vol%
Flash point	-42 °C at 1,013 hPa
Auto-ignition temperature	>200 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not relevant
Solubility(ies)	not determined
Partition coefficient Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	5,200 hPa at 20 °C



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Revision: 2023-11-13 Replaces version of: 2023-09-06 (GHS 6) Density and/or relative density Density 0.7915 ^g/_{ml} (calculated value) Relative vapour density information on this property is not available 9.2 Other information Information with regard to physical there is no additional information hazard classes Other safety characteristics Temperature class (EU, acc. to ATEX) T3 (maximum permissible surface temperature on the equipment: 200°C) SECTION 10: Stability and reactivity 10.1 Reactivity Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive sub-stance(s). Risk of ignition. 10.2 **Chemical stability** See below "Conditions to avoid". 10.3 Possibility of hazardous reactions No known hazardous reactions. 10.4 Conditions to avoid Do not spray on an open flame or other ignition source. Keep away from heat. Hints to prevent fire or explosion Protect from sunlight. 10.5 **Incompatible materials** Oxidisers 10.6 Hazardous decomposition products Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5. **SECTION 11: Toxicological information** Information on hazard classes as defined in Regulation (EC) No 1272/2008 11.1 Test data are not available for the complete mixture. **Classification procedure** The method for classification of the mixture is based on ingredients of the mixture (additivity formula). Classification according to GHS (1272/2008/EC, CLP) Acute toxicity Shall not be classified as acutely toxic. Skin corrosion/irritation Causes skin irritation. Serious eye damage/eye irritation Causes serious eye irritation. **Respiratory or skin sensitisation** Shall not be classified as a respiratory or skin sensitiser. Germ cell mutagenicity Shall not be classified as germ cell mutagenic. Carcinogenicity Shall not be classified as carcinogenic. **Reproductive toxicity** Shall not be classified as a reproductive toxicant. Specific target organ toxicity - single exposure May cause drowsiness or dizziness. Specific target organ toxicity - repeated exposure Shall not be classified as a specific target organ toxicant (repeated exposure). **Aspiration hazard** Shall not be classified as presenting an aspiration hazard. Information on other hazards 11.2 There is no additional information.



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Harmful to aquatic life with long lasting effects. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 2, obviously hazardous to water (Germany)

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
acetone	67-64-1	EC50	61.15 ^g / _l	microorganisms	30 min
Zinc oxide	1314-13-2	EC50	2.065 ^{mg} / _l	fish	84 h
Zinc oxide	1314-13-2	LC50	23.06 ^{mg} / _l	fish	84 h

12.2 Persistence and degradability

Degradability o	Degradability of components					
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Dimethyl ether	115-10-6	oxygen depletion	5 %	28 d		ECHA
acetone	67-64-1	carbon dioxide generation	90.9 %	28 d		
Hydrocarbons, C6-C7, isoalkanes, cyc- lics, <5% n-hex- ane		oxygen depletion	83 %	10 d		ECHA
Naphtha (petro- leum), hydro- treated light	64742-49-0	oxygen depletion	83 %	10 d		ECHA

12.3 **Bioaccumulative potential**

Data are not available.

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dimethyl ether	115-10-6		0.07 (pH value: 7, 25 °C)	
acetone	67-64-1		-0.24	
Hydrocarbons, C6-C7, isoalkanes, cyc- lics, <5% n-hexane			3.6 (pH value: 7, 20 °C)	
Naphtha (petroleum), hydrotreated light	64742-49-0	501.2	3.6 (pH value: 7, 20 °C)	
Hydrocarbons, C6, isoalkanes, <5% n- hexane	64742-49-0	501.2		
n-hexane	110-54-3	501.2	4 (pH value: 7, 20 °C)	
Zinc oxide	1314-13-2	1,050		
cyclohexane	110-82-7	167	3.44 (pH value: 7, 25 °C)	

Mobility in soil 12.4

Data are not available.

12.5 **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

12.6 **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes, (Recommendations)

Product residues

16 05 04* Gases in pressure containers (including halons) containing hazardous substances

Packagings

15 01 04 Metallic packaging

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

SECI	10N 14: Transport Informatio	Π
14.1	UN number or ID number	
	ADR/RID/ADN	UN 1950
	IMDG-Code	UN 1950
	ICAO-TI	UN 1950
14.2	UN proper shipping name	
	ADR/RID/ADN	AEROSOLS
	IMDG-Code	AEROSOLS
	ICAO-TI	Aerosols, flammable
14.3	Transport hazard class(es)	
	ADR/RID/ADN	2 (2.1)
	IMDG-Code	2.1
	ICAO-TI	2.1
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	Special precautions for user	, , , , , , , , , , , , , , , , , , , ,
		DR) should be complied within the premises.
14.7	Maritime transport in bulk accordi	
	The cargo is not intended to be car	-
	Information for each of the UN Mo	del Regulations
	Transport of dangerous goods by r	oad, rail and inland waterway (ADR/RID/ADN) Additional information
	Classification code	5F
	Danger label(s)	2.1
	2	
	Special provisions (SP)	190, 327, 344, 625
	Excepted quantities (EQ)	EO
	Limited quantities (LQ)	1 L
	Transport category (TC)	2
	Tunnel restriction code (TRC)	D
		Goods Code (IMDG) Additional information
	Marine pollutant	-
	Danger label(s)	2.1
	Special provisions (SP)	63, 190, 277, 327, 344, 381, 959
	Excepted quantities (EQ) Limited quantities (LQ)	E0 1 L
	Ems	F-D, S-U
	Stowage category	-
	standye tategory	



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

Limited quantities (LQ)

 International Civil Aviation Organization (ICAO-IATA/DGR) Additional information

 Danger label(s)
 2.1

 Special provisions (SP)
 A145, A167

 Excepted quantities (EQ)
 E0

30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR) none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
Zinc oxide		a)	
n-hexane		a)	
Legend	I		

a)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) No 2019/1148: All suspicious transactions as well as the loss and theft of significant quantities must be reported to the competent authority.

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of li- censing un- der Article 5(3)
acetone	67-64-1	Annex II			

Legend

Annex II Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK (water 2 obviously hazardous to water

hazard class)

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentra- tion	Notation
5.2.5	organic substances		≥25 wt%	0.5 ^{kg} / _h	50 ^{mg} / _{m³}	3)

Notation

3) a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6) Revision: 2023-11-13

National inventories		
Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
Legend		

REACH Reg. REACH registered substances

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
1.1	Unique formula identifier (UFI): TC30-W0R2-S003-M8G0		yes
1.1		Unique formula identifier (UFI): TC30-W0R2-S003-M8G0	yes
1.2	Uses advised against: do not use for products which come into con- tact with foodstuffs		yes
1.3	Details of the supplier of the safety data sheet: NORDWEST Handel AG Robert-Schuman-Straße 17 44263 Dortmund Germany Telephone: +49 (0)231 2222-3001 Telefax: +49 (0)231 2222-3099 Website: www.nordwest.com	Details of the supplier of the safety data sheet: NORDWEST Handel AG Robert-Schuman-Straße 17 44263 Dortmund Germany Telephone: +49 (0)231 2222-3001 Telefax: +49 (0)231 2222-3099 e-mail: sdb@nordwest.com Website: www.nordwest.com	yes
1.3	e-Mail (competent person): sdb@nordwest.com		yes
1.3		e-mail (competent person): sdb@nordwest.com	yes
1.4		Poison centre: change in the listing (table)	yes
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of H-phrases: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

> Safety-Section Actual entry (text/value) Former entry (text/value) relevant 2.3 Results of PBT and vPvB assessment: yes This mixture does not contain any substances that are assessed to be a PBT or a vPvB. Precautionary statements: change in the listing (table) 2.2 yes 2.3 Other hazards: Other hazards yes There is no additional information. 2.3 Results of PBT and vPvB assessment: yes Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%. Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in 2.3 yes a concentration of \geq 0,1%. 3.1 Substances: yes Not relevant (mixture) 3.2 Hazardous ingredients acc. to EU regulation: yes change in the listing (table) 3.2 Description of the mixture: yes change in the listing (table) Hazardous ingredients, Specific Conc. Limits, M-3.2 yes factors, ATE: change in the listing (table) 4.1 Following skin contact: Following skin contact: yes Wash with plenty of soap and water. Take off Wash with plenty of soap and water. contaminated clothing. 4.1 Following ingestion: Following ingestion: yes Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. In all Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. cases of doubt, or when symptoms persist, seek medical advice. 6.3 Advice on how to clean up a spill: yes Collect spillage (universal binder). 7.2 Incompatible substances or mixtures: yes Observe hints for combined storage. 7.2 Consideration of other advice: yes Observe instructions for use. Keep out of reach of children. • Packaging compatibilities: Only packagings which are approved (e.g. acc. to ADR) may be used. Packaging compatibilities: Keep only in original container. 7.2 yes 7.2 Storage class (LGK) TRGS 510: yes LGK 2 B (aerosol dispensers and lighters) 8.1 National limit values yes 8.1 Occupational exposure limit values (Workplace yes Exposure Limits) 8.1 Occupational exposure limit values (Workplace yes Exposure Limits): change in the listing (table) 8.1 **Biological limit values** yes 8.1 Relevant DNELs/DMELs/PNECs and other yes threshold levels 8.1 • relevant DNELs of components of the mixture yes



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

> Safety-Section Former entry (text/value) Actual entry (text/value) relevant 8.1 relevant PNECs of components of the mixture yes 8.1 Relevant DNELs of components: yes change in the listing (table) Relevant PNECs of components: change in the listing (table) 8.1 yes 8.2 Individual protection measures (personal pro-Individual protection measures (personal proyes tective equipment): tective equipment): eye protection must be worn safety gloves must be worn do not eat or drinkPersonal protective eye protection must be worn safety gloves must be worn do not eat or drink equipment shall be used when the risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization. 8.2 Environmental exposure controls Environmental exposure controls: yes Use appropriate container to avoid environ-mental contamination. Keep away from drains, Use appropriate container to avoid environmental contamination. surface and ground water. 9.1 Appearance yes 9.1 Odour: yes characteristic 9.1 Other physical and chemical parameters yes 9.1 Odour: yes characteristic Melting point/freezing point: not applicable (aerosol) 9.1 Melting point/freezing point: yes not determined 9.1 Boiling point or initial boiling point and boiling Initial boiling point and boiling range: yes range: -24.9 °C at 1,013 hPa not applicable (aerosol) Lower and upper explosion limit: 0.6 vol% - 26.2 vol% 9.1 **Explosive limits** yes 9.1 · lower explosion limit (LEL): yes 0.6 vol% 9.1 yes upper explosion limit (UEL): 26.2 vol% Flash point: not applicable (aerosol) Flash point: -42 °C at 1,013 hPa 9.1 yes Viscosity: not relevant (aerosol) 9.1 yes 9.1 yes Explosive properties: none 9.1 Oxidising properties: yes none 9.1 Decomposition temperature: yes not relevant 9.1 pH (value): yes not determined 9.1 Kinematic viscosity: yes not relevant 9.1 Density and/or relative density yes 9.1 Relative vapour density: yes information on this property is not available



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

> Safety-Section Former entry (text/value) Actual entry (text/value) relevant 9.2 Other information: Other information yes There is no additional information. 9.2 Information with regard to physical hazard yes classes there is no additional information 9.2 Other safety characteristics yes Temperature class (EU, acc. to ATEX): T3 (maximum permissible surface temperature 9.2 yes on the equipment: 200°C) Physical stresses which might result in a hazardyes 10.4 ous situation and have to be avoided: high temperatures 11.1 · Acute toxicity of components of the mixture yes • Acute toxicity of components of the mixture: change in the listing (table) 11.1 yes Summary of evaluation of the CMR properties: Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant. 11.1 yes 11.1 Specific target organ toxicity (STOT) yes 11.1 yes Germ cell mutagenicity: Shall not be classified as germ cell mutagenic. Carcinogenicity: Shall not be classified as carcinogenic. 11.1 yes Reproductive toxicity: Shall not be classified as a reproductive toxic-11.1 yes ant 11.2 Information on other hazards: yes There is no additional information. 12.1 yes Toxicity: Toxicity Harmful to aquatic life with long lasting effects. Wassergefährdungsklasse, WGK (water hazard class) (WGK; Germany): 2 (obviously hazardous Acc. to 1272/2008/EC: Harmful to aquatic life with long lasting effects. Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on fa-cilities for handling substances hazardous to water) (AwSV): WGK 2, obviously hazardous to water (Germany) to water) 12.1 Aquatic toxicity (acute) yes Aquatic toxicity (acute) of components of the 12.1 yes mixture 12.1 Aquatic toxicity (acute) of components of the yes mixture: change in the listing (table) Aquatic toxicity (chronic): May cause long-term adverse effects in the aquatic environment. 12.1 yes 12.1 Aquatic toxicity (chronic) of components of the yes mixture 12.2 Degradability of components of the mixture yes 12.3 Bioaccumulative potential of components of the yes mixture 12.1 Aquatic toxicity (chronic) of components: yes change in the listing (table)



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
12.2		Degradability of components: change in the listing (table)	yes
12.3		Bioaccumulative potential of components: change in the listing (table)	yes
12.5	Results of PBT and vPvB assessment: Data are not available.	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not con- tain a PBT-/vPvB-substance in a concentration of $\ge 0,1\%$.	yes
12.6	Endocrine disrupting potential: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.	yes
13.1	List of wastes: 16 05 04* gases in pressure containers (includ- ing halons) containing hazardous substances 15 01 10* packaging containing residues of or contaminated by hazardous substances	List of wastes, (Recommendations)	yes
13.1		Product residues: 16 05 04* Gases in pressure containers (includ- ing halons) containing hazardous substances	yes
13.1		Packagings: 15 01 04 Metallic packaging	yes
14.1	UN number: 1950	UN number or ID number	yes
14.1		ADR/RID/ADN: UN 1950	yes
14.1		IMDG-Code: UN 1950	yes
14.1		ICAO-TI: UN 1950	yes
14.2	UN proper shipping name: AEROSOLS	UN proper shipping name	yes
14.2		ADR/RID/ADN: AEROSOLS	yes
14.2		IMDG-Code: AEROSOLS	yes
14.2		ICAO-TI: Aerosols, flammable	yes
14.3	Class: 2 (gases) (aerosol)		yes
14.3	Subsidiary risk(s): 2.1 (flammability)		yes
14.3		ADR/RID/ADN: 2 (2.1)	yes
14.3		IMDG-Code: 2.1	yes
14.3		ICAO-TI: 2.1	yes
14.4	Packing group: not assigned to a packing group	Packing group: not assigned	yes
14.5	Environmental hazards: none (non-environmentally hazardous acc. to the dangerous goods regulations)	Environmental hazards: non-environmentally hazardous acc. to the dan- gerous goods regulations	yes



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

> Safety-Section Former entry (text/value) Actual entry (text/value) relevant 14.7 UN number: yes 1950 Proper shipping name: AEROSOLS 14.7 yes 14.7 yes Class: 2 UN number: 14.7 yes 1950 Proper shipping name: AEROSOLS 14.7 yes 14.7 Class: 2.1 yes 14.7 Marine pollutant: yes 14.7 UN number: yes 1950 Proper shipping name: Aerosols, flammable 14.7 yes 14.7 Class: 2.1 yes Danger label(s): change in the listing (table) 14.7 yes Danger label(s): change in the listing (table) 14.7 yes 15.1 Restrictions according to REACH, Annex XVII yes 15.1 • Restrictions according to REACH, Annex XVII: yes change in the listing (table) 15.1 Directive 75/324/EEC relating to aerosol disyes pensers 15.1 Classification of the gas/aerosol: yes extremely flammable yes 15.1 Labelling: keep out of reach of children pressurized con-tainer: may burst if heated keep away from heat, hot surfaces, sparks, open flames and oth-er ignition sources. No smoking do not pierce or burn, even after use protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F 15.1 Net contents by volume: yes 400 ml 15.1 · Explosives precursors which are subject to re-Regulation on the marketing and use of explosyes strictions ives precursors: This product is regulated by Regulation (EU) No 2019/1148: All suspicious transactions as well as the loss and theft of significant quantities must be reported to the competent authority. 15.1 Regulation on persistent organic pollutants yes (POP): none of the ingredients are listed • Storage of hazardous substances in non-sta-tionary containers (TRGS 510) (Germany) 15.1 yes



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	Storage class (LGK): 2 B (aerosol dispensers and lighters)		yes
15.1	National inventories		yes
15.1		National inventories: change in the listing (table)	yes
15.1		National inventories	yes
15.1		National inventories: change in the listing (table)	yes
16		Abbreviations and acronyms: change in the listing (table)	yes
16	Key literature references and sources for data: - Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU - Regulation (EC) No. 1272/2008 (CLP, EU GHS)	Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mix- tures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.Transport of danger- ous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dan- gerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	yes

Abbreviations and acronyms

Appreviations	
Abbr.	Descriptions of used abbreviations.
2000/39/EC. 2006/15/EC.	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Gouncil Directive 98/24/EC.
2000/13/EC.	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC.
ADN.	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement
ADN.	concerning the International Carriage of Dangerous Goods by Inland Waterways).
ADR.	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Danger-
ADR.	ous Goods by Road).
ADR/RID/ADN.	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN).
AGW.	Workplace exposure limit.
Aquatic Acute.	Hazardous to the aquatic environment - acute hazard.
Aquatic Chronic.	Hazardous to the aquatic environment - chronic hazard.
Asp. Tox.	Aspiration hazard.
ATE.	Acute Toxicity Estimate.
BCF.	Bioconcentration factor.
BOD.	Biochemical Oxygen Demand.
CAS.	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances).
Ceiling-C.	Ceiling value.
CLP.	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
COD.	Chemical oxygen demand.
DFG.	Deutsche Förschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH,
DGR.	Weinheim. Dangerous Goods Regulations (see IATA/DGR).
DNEL.	Dariyer dus Sodds regulations (see Arrobak). Derived No-Effect Level.
EC50.	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on
EC50.	growth) during a specified time interval.
EC No.	The FC Inventory (FINECS FI INCS and the NI P-list) is the source for the seven-digit FC number, an identifier of substances commercially avail-
201101	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially avail- able within the EU (European Union).
ED.	Endocrine disruptor.
EINECS.	European Inventory of Existing Commercial Chemical Substances.
ELINCS.	European List of Notified Chemical Substances.
EmS.	Emergency Schedule.
Eye Dam.	Seriously damaging to the eye.
Eye Irrit.	Irritant to the eye.
Flam. Gas.	Flammable gas.
Flam. Liq.	Flammable liquid.
GHS.	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations.
IATA. IATA/DGR.	International Air Transport Association.
ICAO.	Dangerous Goods Regulations (DGR) for the air transport (IATA). International Civil Aviation Organization.
ICAO. ICAO-TI.	Technical instructions for the safe transport of dangerous goods by air.
IMDG.	International Martime Dangerous Goods Code.
IMDG. IMDG-Code.	International Maritime Dangerous Goods Code.
Index No.	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008.
IOELV.	Indicative occupational exposure limit value.
LC50.	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time inter-
	val.
LGK.	Lagerklasse (storage class according to TRGS 510, Germany).
Log KOW.	n-Octanol/water.
NLP.	No-Longer Polymer.
PBT.	Persistent, Bioaccumulative and Toxic.
PNEC.	Predicted No-Effect Concentration.
Ppm.	Parts per million.
Press. Gas.	Gas under pressure.
REACH.	Registration, Evaluation, Authorisation and Restriction of Chemicals. Reproductive toxicity.
Repr. RID.	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage
NID:	of Dangerous goods by Rail).
Skin Corr.	Corrosive to skin.
Skin Irrit.	Irritant to skin.
STEL.	Short-term exposure limit
STOT RE.	Specific target organ toxicity - repeated exposure.
STOT SE.	Specific target organ toxicity - single exposure.
SVHC.	Substance of Very High Concern.
TRGS.	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).



according to Regulation (EC) No. 1907/2006 (REACH)

4000 353430 - PROMAT CHEMICALS SPRÜHKLEBER - 400 ml

Abbr.

Version number: GHS 7.0 Replaces version of: 2023-09-06 (GHS 6)

Descriptions of used abbreviations.	
Arbeitsplatzgrenzwerte (TRGS 900). Biologische Grenzwerte (TRGS 903).	
Time-weighted average.	
Very Persistent and very Bioaccumulative.	

TRGS 900. TRGS 903. TWA. VPvB. Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

H220.	Extremely flammable gas.
H222.	Extremely flammable aerosol.
H225.	Highly flammable liquid and vapour.
H229.	Pressurised container: May burst if heated.
H280.	Contains gas under pressure; may explode if heated.
H304.	May be fatal if swallowed and enters airways.
H315.	Causes skin irritation.
H319.	Causes serious eye irritation.
H336.	May cause drowsiness or dizziness.
H361f.	Suspected of damaging fertility.
H373.	May cause damage to organs through prolonged or repeated exposure.
H400.	Very toxic to aquatic life.
H410.	Very toxic to aquatic life with long lasting effects.
H411.	Toxic to aquatic life with long lasting effects.
412	Harmful to accustic life with lang lasting offects

Harmful to aquatic life with long lasting effects. H412.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.